

Printing date 12.10.2020 Version: 3.00 Revision: 17.04.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX Foam Splash - EVOLUTION-

Article number:

06715000, 06716000, 06717050, 06718000

UFI: XGE0-N04P-P00X-P02D

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Application of the substance / the mixture Car care product

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.
Skin Sens. 1A H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05

GHS07

Signal word Danger

Hazard-determining components of labelling:

Sodium Laureth Sulfate 2-methylisothiazol-3(2H)-one

Tetramethyl Acetyloctahydronaphtalenes

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)



Printing date 12.10.2020 Version: 3.00 Revision: 17.04.2020

(Contd. of page 1)

2.3 Other hazards
Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous tenside solution.

Dangerous components:		
CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-xxxx	alcohols, C12-14, ethoxylated, sulfates, sodium salts Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 5 % ≤ C < 10 %	10-<15%
CAS: 97489-15-1 EC number: 307-055-2 Reg.nr.: 01-2119489924-20-xxxx	Sulfonic acids, C14-17-sec-alkane, sodium salts Eye Dam. 1, H318; ↑ Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 15 % Eye Irrit. 2; H319: 10 % ≤ C < 15 %	5-<10%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	sodium-p-cumene sulphonate Alternative CAS numbers: 28348-53-0, 32073-22-6	1-<3%
EC No 915-730-3 Reg.nr.: 01-2119489989-04-xxxx	Tetramethyl Acetyloctahydronaphtalenes Contains: 54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8- tetramethyl-2-naphthalenyl)ethanone; 68155-66-8 1- (1,2,3,5,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one; 68155-67-9 1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8- tetramethyl-2-naphthyl)ethan-1-one Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	<1%
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50-xxxx	2-methylisothiazol-3(2H)-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ↑ Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.01%

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
anionic surfactants	≥15 - <30%
perfumes, methylisothiazolinone, benzisothiazolinone, sodium pyrithione	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.

After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation / Eye damage

Skin irritation sensitization Allergic reactions

(Contd. on page 3)



Printing date 12.10.2020 Version: 3.00 Revision: 17.04.2020

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
CAS: 688	91-38-3	alcohols, C12-14, ethoxylated, sulfates, sodium salts
I		15 mg/kg (VL)
Dermal		1,650 mg/kg (VL)
		2,750 mg/kg (worker long-term)
Inhalative	DNEL	52 mg/m³ (VL)

(Contd. on page 4)



Printing date 12.10.2020 Version: 3.00 Revision: 17.04.2020

				(Contd. of page
			175 mg/m³ (worker long-term)	
CAS:			Sulfonic acids, C14-17-sec-alkane, sodium salts	
Oral	I	DNEL	7.1 mg/kg bw/day (consumer) (longterm systematic effects)	
Derm	Dermal DNEL		3.57 mg/bw/day (consumer) (longterm systematic effects)	
			5 mg/bw/day (worker) (longterm systematic effects)	
	1	DNEL	2.8 mg/cm² (consumer) (acute locale effects)	
			2.8 mg/cm² (vII) (longterm local effects)	
			2.8 mg/cm² (worker long-term) (longterm local effects)	
			2.8 mg/cm² (worker) (acute locale effects)	
Inhala	ative	DNEL	12.4 mg/m³ (consumer) (longterm systematic effects)	
			35 mg/m³ (worker) (longterm systematic effects)	
CAS:	: 1576	3-76-5	sodium-p-cumene sulphonate	
Oral	I	DNEL	3.8 mg/kg bw/day (consumer) (longterm systematic effects)	
Derm	nal l	DNEL	3.8 mg/kg bw/day (consumer) (longterm systematic effects)	
			7.6 mg/kg bw/day (worker) (longterm systematic effects)	
Inhala	ative	DNEL	13.2 mg/m³ (consumer) (longterm systematic effects)	
			53.6 mg/m³ (worker) (longterm systematic effects)	
PNE				
			alcohols, C12-14, ethoxylated, sulfates, sodium salts	
	PNEC		00 mg/l (sewage plant)	
		0.07	1 mg/l (sporadic release)	
		0.24	mg/l (water (fresh water))	
			4 mg/l (water (sea water))	
	PNEC		mg/kg (gro)	
		0.91	68 mg/kg (sediment (fresh water))	
			168 mg/kg (sediment (sea water))	
			Sulfonic acids, C14-17-sec-alkane, sodium salts	
			mg/kg food	
	PNEC		mg/l (sewage plant)	
		0.06	mg/l (water (intermittent release))	
		0.04	mg/l (water (fresh water))	
		0.00	4 mg/l (water (sea water))	
	DNEC	9.4 r	ng/kg dw (sediment (fresh water))	
	INC		3 3 . ((//	

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Protection of hands: Protective gloves

Material of gloves Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

[EN 374]

Penetration time of glove material Value for the permeation: Level 6 (≥ 480 min)

Eye protection: Safety glasses

(Contd. on page 5)



Printing date 12.10.2020 Version: 3.00 Revision: 17.04.2020

[EN 166]

(Contd. of page 4)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid
Colour: Yellowish
Odour: Fruit-like
Odour threshold: Not determined.

pH-value at 20 °C: 9.5 - 10.5

Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: >100 °C

Flash point: Not applicable.

Flammability (solid, gas): Not applicable.

Decomposition temperature: Not determined.

Auto-ignition temperature: Not determined.

Explosive properties: Not determined.

Explosion limits:

Lower: Not determined. Not determined. Not determined.

Vapour pressure: Not determined.

Density at 20 °C: 1.03 - 1.05 g/cm³
Relative density Not determined.

Vapour density Not determined.
Evaporation rate Not determined.

Solubility in / Miscibility with

water: Fully miscible.

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

Flow time at 20 °C 10 - 13 s (DIN EN ISO 2431/4mm)
9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects There are no toxicological findings on this mixture. Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts

Oral | LD50 | >5,000 mg/kg (rat) (OECD 401) Dermal | LD50 | >5,000 mg/kg (rat) (OECD 402)

(Contd. on page 6)



Printing date 12.10.2020 Version: 3.00 Revision: 17.04.2020

			(Contd. of page 5)
CAS: 97	7489-1	15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts	
Oral	LD50	>500-2,000 mg/kg (Ratte) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (mouse)	
1		76-5 sodium-p-cumene sulphonate	
Oral	LD50	>7,000 mg/kg (rat)	
Dermal	LD50	2,000 mg/kg (rat)	

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Repe	eated dose toxic	city
CAS	: 97489-15-1 Su	lfonic acids, C14-17-sec-alkane, sodium salts
	NOEC / 56 d	470 mg/kg (Eisenia foetida) (OECD 222)
CAS	: 15763-76-5 so	dium-p-cumene sulphonate
Oral	NOAEL	>936 mg/kg (rat)
	NOAEL 90-92d	>440 mg/kg/d (OECD 411 Subcronic Dermal Toxicity: 90-day Stucy)

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful to reproduction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Product is considered to be harmful to aquatic organisms. May have long-term harmful effects in aquatic environments.

Aquatic toxic	city:
CAS: 68891-	38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts
LC 50	>10-≤100 mg/l (Leuciscus idus) (DIN EN ISO 7346-2)
EC0	>100 mg/l (bacteria) (OECD 209)
EC50	>100 mg/l (Scenedesmus subspicatus) (OECD 201)
	>10-100 mg/l (Daphnia magna) (OECD 202)
NOEC	>1-10 mg/l (Leuciscus idus)
CAS: 97489-	15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts
LC50 / 96h	1-10 mg/l (Danio rerio) (OECD 203)
EC50 / 48h	9.81 mg/l (Daphnia magna) (OECD 202)
EC50 / 72h	>61 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC / 21 d	0.36 mg/l (Daphnia magna) (OECD 202)
NOEC / 28d	0.85 mg/l (Oncorhynchus mykiss) (OECD 204)
NOEC	600 mg/l (bacteria) (DIN 38412 T.8)
CAS: 15763-	76-5 sodium-p-cumene sulphonate
LC50 / 96h	>1,000 mg/l (fish) (EPA OPPTS EPA OTS 797)
EC50/3h	>1,000 mg/l (bacteria) (OECD 209)
EC50 / 48h	>1,000 mg/l (Daphnia magna) (EPA OPPTS EPA OTS 797)
	(Contd. on page 7

(Contd. on page 7)



Printing date 12.10.2020 Version: 3.00 Revision: 17.04.2020

(Contd. of page 6)

| >100 mg/l (daphnia) (OECD 202) | EC50 / 96 h | >230 mg/l (algae) (EPA OPPTS EPA OTS 797) | NOEC 96h | 31 mg/l (algae) (EPA OPPTS) | CAS: 2682-20-4 2-methylisothiazol-3(2H)-one | EC 20 / 3h | 2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test)) | EC50/3h | 34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))

12.2 Persistence and degradability

CAS: 15763-76-5 sodium-p-cumene sulphonate

Biodegradiation 60-100 % (OECD 301 B Ready Biodegradability -. CO2 Evolution)

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

The product may not be released into the environment without control. The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

20 01 29* detergents containing hazardous substances

Uncleaned packaging:

15 01 10*: packaging containing residues of or contaminated by dangerous substances

Recommendation:

Packaging may be reused or recycled after cleaning.

15 01 02: plastic packaging

Recommended cleansing agents: Water

SECTION 14: Transport information		
14.1 UN-Number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	
UN "Model Regulation":	Void	



Version: 3.00 Revision: 17.04.2020 Printing date 12.10.2020

(Contd. of page 7)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

EC/1907/2006 (REACh) EC/1272/2008 (CLP) EC/648/2004

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation

Serious eye damage/eye irritation

Skin sensitisation

Hazardous to the aquatic environment - long-term

(chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage

of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Acute Tox. 3: Acute toxicity - oral - Category 3

Acute Tox. 4: Acute toxicity - oral - Category 4

Acute Tox. 2: Acute toxicity - inhalation – Category 2 Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1A: Skin sensitisation – Category 1A Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

(Contd. on page 9)



Printing date 12.10.2020 Version: 3.00 Revision: 17.04.2020

(Contd. of page 8)

Version history and indication of changes: Replaces version 2.00. * **Data compared to the previous version altered.**

GB -